



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended June 26, 1897, from 64 observers, indicate that erysipelas, inflammation of kidney, and tonsilitis increased, and intermittent fever and pleuritis decreased in area of prevalence. Phthisis pulmonalis was reported present at 187 places, measles at 68, diphtheria at 33, scarlet fever at 21, enteric fever at 15, and whooping cough at 11.

NORTH CAROLINA.—Reports to the State board of health from 22 towns, having an aggregate population of 107,334—white, 61,467; colored, 45,867—give a total number of 148 deaths, including enteric fever, 4; measles, 1; phthisis pulmonalis, 22 (white, 3; colored, 19), and whooping cough, 10.

TENNESSEE.—Month of May, 1897. Reports to the State board of health from 23 towns, having an aggregate population of 249,415, show a total of 206 deaths, including enteric fever, 3 ; measles, 1 ; whooping cough, 1, and phthisis pulmonalis, 32.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

[illegible]

MORTALITY TABLE, CITIES OF THE UNITED STATES—Continued.

[illegible]